TRAINING NEED ANALYSIS

Legend:

- 1 — Required within 12 months
- 2 — Required within 24 months
- 3 — Required within 36 months
- 4 — Required within 48 months
- 5 — Recognised Prior Learning - RPL
- C — Competant
- NR — Not required

Name.	Position	Code	LF	TH	WP	W@H	DG		CN					1	2	3	4	5	PA	PO2	PG	PD	PM	LP	PC	PS	IPS	CC	WA					
		Module	Folklift	Telehandler	Elevated Work Platform	Working at Heights	Dogger	Rigging Basic	Non Slewing Crane (Franna)	CO Slewing crane over 100t	EWP	Forklift	Telehandler	LTM1220	QLD Class C	QLD HR	Light Vehivle Training	4 Wheel Drive training	IVMS Training	Area Induction Autoclaves(PA)	Area Induction Plant (PO2)	Area Induction Geothermal Power Station (PG)	Area Induction Geothermal Power Station (PD)	Area Induction Plant Maintenance Workshop (PM)	Area Induction Laboratory (LP)	Area InductionCIL/Reagents (PC)	Area Induction Stockpile (PS)	Area Induction Interim Power Station (IPS)	Code of Conduct	Workplace Assessor	OCCC Training	FCCC Trainig			
			SITE REQUIREMENTS								EQUIPMENT FAM				LICENCES					OTHER														
John Citizen	Crane operator		C	C	1	C	1	C	C	C	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Justin Citizen	Crane operator		C	C	1	C	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Mike Citizen	Crane operator		C	C	1	C	2	C	C	C	C	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Peter Citizen	Crane operator		C	C	2	C	3	C	C	C	C	2	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Rob Citizen	Crane operator		C	C	3	C	4	C	C	C	C	3	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Andre Citizen	Crane operator		C	C	4	C	5	C	C	C	C	4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
David Citizen	Crane operator		C	C	5	C	6	C	C	C	C	5	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Ryan Citizen	Crane operator		C	C	6	C	7	C	C	C	C	6	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Mark Citizen	Crane operator		C	C	7	C	8	C	C	C	C	7	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C